

planika

# PREMIUM FIREPLACES

---

DESIGN  
BEV TECHNOLOGY  
ECOLOGY



2025



# INDEX

---

## INTRODUCTION

**02** OUR STORY

**04** CUSTOM FIREPLACES

## INDOOR COLLECTION

**06** AUTOMATIC BEV® FIREPLACES

**34** WATER VAPOUR & ELECTRIC FIREPLACES

**44** GAS FIREPLACES

## OUTDOOR COLLECTION

**50** AUTOMATIC BEV® FIREPLACES

**58** GAS FIREPLACES

**82** COMMERCE® FIREPLACES





# ourstory

Over 20 years ago, a simple bonfire beneath the iconic Ayers Rock in Australia ignited a vision. Inspired by the captivating flames and ancient Aboriginal tales, Alfred Weilandt and Jerry Dąbrowski set out to create a way to bring fire into contemporary interiors—without the soot, ash, or need for a chimney. This idea led to the development of automatic bioethanol fireplaces, combining advanced technology, safety, and the timeless appeal of natural flames. Powered by our patented BEV® Technology, these fireplaces burn cleanly and efficiently, offering a modern, environmentally friendly solution for creating a warm, inviting atmosphere.

As our expertise grew, so did our portfolio. To complement our bioethanol fireplaces, we introduced additional technologies: gas fireplaces for easy installation and reliable performance, water vapour fireplaces for a lifelike, emission-free flame effect using only water and light, and electric fireplaces with customizable LED flames. While bioethanol remains the heart of what we do, these innovations allow us to meet diverse needs and enhance the possibilities of fire design in any space.

At the core of Planika's success is a dedication to quality, sustainability, and family values. A few years ago, Jarosław Dąbrowski's daughter, Patrycja Gierak, joined our team, bringing fresh energy to the legacy of craftsmanship and trust. Our team operates without hierarchy, ensuring creativity and passion guide every product we create.

With a presence in over 100 countries and a focus on ecological responsibility, Planika continues to lead the way in advanced fire technologies—delivering solutions that combine innovation, design, and respect for the environment.

*~This made it possible to give you truly unique solutions in fire design.*

*Planika*


# CUSTOM FIREPLACES

## SKY IS THE LIMIT

Choose from our range of chimney-free fireplaces and tailor the solution to fit your project. Customize the color, finish, shape, length, and flame type. It's your project, your rules—we provide the solutions.

## COLOUR AND FINISH OF A BURNER

Choose any RAL colour and one of three finishes - Matte, Silk or Gloss.



MATTE



SILK



GLOSSY

## TECHNOLOGY


Choose the perfect technology for your project. BEV bio fireplaces offer a clean, eco-friendly flame, water vapor fireplaces create a realistic fire effect without heat, and LED technology gives full control over the fire's appearance.



# CUSTOM FIREPLACES


## SHAPE OF A BURNER

Personalize the shape to harmonize with the interior. Every detail is in your hands, allowing everything to align with your aesthetics and project needs.



## DIMENSIONS OF A BURNER

Tailor the length of the burner to perfectly fit your space. Whether you need a compact or extended size, we offer flexibility in dimensions to match the scale of your project.



## PROJECT DEPARTMENT

Our Project Department offers free project reviews to ensure safe distances and finishes. As part of your project, we can meet nearly any need and bring almost any idea to life.



# AUTOMATIC BEV<sup>®</sup> FIREPLACES


INDOOR COLLECTION

# BEV<sup>®</sup> TECHNOLOGY

## GAME-CHANGING INNOVATION IN FIREPLACE INDUSTRY

The BEV<sup>®</sup> technology is the most advanced technology on the fireplace market and it has revolutionized the industry. It is now possible to have a line of fire in a media wall under TV, in an apartment on a higher floor, arranged as a room divider or even on a yacht. For years now, this innovative solution has been taking projects with real fire to the next level. You can use fireplaces with the BEV<sup>®</sup> technology anywhere you want, without any limitations. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

### PLANIKA AUTOMATIC FIRE



### HOW DOES THE BEV<sup>®</sup> TECHNOLOGY WORK?

The entire burning process is fully automated. The fireplace takes only the required amount of fuel from the tank and the pump transports it to the combustion chamber. The bioethanol is vapourised and distributed along the entire length of the burner where it is then combusted. The fire does not come in any direct contact with the liquid fuel. Thanks to the isolated fuel tank, the cooling fans and the combustion chamber, the temperature of the ethanol fuel is always low and safe.

The microprocessor communicates with many sensors inside the fireplace and controls its entire operation. The fireplace informs you of any actions with a sound signal and a message in the mobile app. The convenient remote control of the fireplace eliminates any risk of human error.

# NET ZERO<sup>®</sup>


## CARBON NEUTRAL SOLUTION FOR PREMIUM DESIGN

Planika's mission is to create safe fireplaces that leave little to no impact on the environment. Our automatic fireplaces with the BEV<sup>®</sup> technology are fuelled with bioethanol - organic eco-fuel. This allows to use our products where traditional fireplaces are prohibited by the environmental restrictions. Planika has developed the cutting-edge solution - the true CO<sub>2</sub> - neutral fireplaces of the future.

### WHAT IS FANOLA FUEL?




### HOW ARE PLANIKA'S BEV<sup>®</sup> FIREPLACES CO<sub>2</sub> NEUTRAL?



Planika's fireplaces utilize multi-rectified bioethanol which is made from plants, such as wheat, corn or potatoes. The BEV<sup>®</sup> Technology turns liquid fuel into ethanol vapours to provide the safest combustion process and the most natural fire. The clean burning of ethanol vapours emits only a small amount of CO<sub>2</sub> - similar to that exhaled by a human. No ash, soot, or smoke are produced. 100% of the emissions are absorbed by the same plants that are used to produce the biofuel. This way the carbon emission process comes full circle.



### WORK WITH PROFFESIONALS




# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)




## FIRE LINE AUTOMATIC 4 (FLA4 BURNER)



### FEATURES

- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Variant with larger fuel tank (FLA4+)
- Smart Home System compatible
- CO<sub>2</sub> sensor
- Top finish:
  - Black powder coating (standard)
  - Stainless steel (optional)
  - RAL colour (optional)

## FIRE LINE AUTOMATIC 4+ (FLA4+ BURNER)



### OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements



## ARRANGEMENT OPTIONS



Arrangements that require frame with glass screens

	FLA4 / FLA4+						
	590 mm	790 mm	990 mm	1190 mm	1490 mm	1990 mm	2490 mm
	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW	max. 13.0 kW	max. 18.0 kW	max. 22.5 kW
	3.1 L / 9.6 L	4.3 L / 13.4 L	5.5 L / 17.2 L	6.8 L / 21.0 L	8.6 L / 26.8 L	11.7 L / 36.3 L	14.8 L / 45.9 L
	max. 5.0 h / 16.0 h	max. 8.0 h / 25.0 h	max. 8.0 h / 26.0 h	max. 9.0 h / 30.0 h	max. 9.0 h / 30.0 h	max. 10.0 h / 31.0 h	max. 10.0 h / 31.0 h
	min. 31 m³	min. 44 m³	min. 70 m³	min. 94 m³	min. 130 m³	min. 180 m³	min. 225 m³
	19.9 kg / 22.4 kg	24.1 kg / 32.0 kg	27.5 kg / 38.5 kg	33.0 kg / 44.0 kg	39.5 kg / 52.5 kg	49.5 kg / 67.5 kg	58.5 kg / 81.5 kg
	230 V						



Fire Line Automatic  
BEV® Burner



Fire Line Automatic  
BEV® Burner  
Design by Iris

# FIRST OF ITS KIND FIREPLACE ON A YACHT



Fire Line Automatic  
BEV® Burner  
Design by **Mondomarine**  
Serenity yacht



Fire Line Automatic  
BEV® Burner



Fire Line Automatic  
BEV® Burner

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



## FORMA FIREPLACE (with FLA4 / FLA4+ burner)



### FEATURES

- FLA4/FLA4+ technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 7 lengths and 7 arrangement options
- Easy installation
- Higher side glass panels available in Tunnel, Room Divider and Island models

### OPTIONAL ACCESSORIES

- Decorative tray with logs or stones
- Smart Home System module

## ARRANGEMENT OPTIONS



FORMA FIREPLACE WITH FLA4 / FLA4+ BURNER							
	BURNER 590 mm FIREPLACE 800 mm	BURNER 790 mm FIREPLACE 1000 mm	BURNER 990 mm FIREPLACE 1200 mm	BURNER 1190 mm FIREPLACE 1500 mm	BURNER 1490 mm FIREPLACE 1800 mm	BURNER 1990 mm FIREPLACE 2300 mm	BURNER 2490 mm FIREPLACE 2700 mm
	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW	max. 13.0 kW	max. 18.0 kW	max. 22.5 kW
	FLA4 3.1 L FLA4+ 9.6 L	FLA4 4.3 L FLA4+ 13.4 L	FLA4 5.5 L FLA4+ 17.2 L	FLA4 6.8 L FLA4+ 21.0 L	FLA4 8.6 L FLA4+ 26.8 L	FLA4 11.7 L FLA4+ 36.3 L	FLA4 14.8 L FLA4+ 45.9 L
	FLA4 max. 5.0 h FLA4+ max. 16.0 h	FLA4 max. 8.0 h FLA4+ max. 25.0 h	FLA4 max. 8.0 h FLA4+ max. 26.0 h	FLA4 max. 9.0 h FLA4+ max. 30.0 h	FLA4 max. 9.0 h FLA4+ max. 30.0 h	FLA4 max. 10.0 h FLA4+ max. 31.0 h	FLA4 max. 10.0 h FLA4+ max. 31.0 h
	min. 31 m³	min. 44 m³	min. 70 m³	min. 94 m³	min. 130 m³	min. 180 m³	min. 225 m³
	230 V						



Fire Line Automatic  
BEV® Burner  
Design by Ellemore Huang Shan

Fire Line Automatic  
Park Hyatt Auckland  
Conran&Partners



Fire Line Automatic  
BEV® burner

Design by Sylwia Szczęśniak Mariposa Studio Architektury  
Published in Elle Decoration Polska



Fire Line Automatic  
BEV® Burner  
Design by Azovski + Pahamova




# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## PANORAMA FIREPLACE



### FEATURES

- Automatic refilling system
- External control panel
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Zero clearance
- CO<sub>2</sub> sensor
- Finish: black powder coating
- Smart Home System compatible

### OPTIONAL ACCESSORIES

- Decorative ceramic logs / white stones with glowing fibers
- Smart Home System module



Panorama RD  
BEV® Fireplace

## ARRANGEMENT OPTIONS



PANORAMA	
	BURNER 990 mm
	max. 7.0 kW
	5.5 L
	max. 10.0 h
	min. 70 m³
	230 V



Panorama TS  
BEV® Fireplace

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



## COMET BURNER



### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Top finish: black powder coating
- Smart Home System compatible
- Custom Pillar housing

### OPTIONAL ACCESSORIES

- Smart Home System module

## PILLAR (with Comet burner)




COMET BURNER / PILLAR	
	max. 6.6 kW
	8.8 L
	max. 17 h
	min. 66 m³
	230 V

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



## UFO FREESTANDING (with FLA4 990 burner)



### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Smart Home System compatible
- Suspended or freestanding options

### OPTIONAL ACCESSORIES

- Smart Home System module
- Trays with logs or stones

## UFO SUSPENDED (with FLA4 990 burner)



UFO	
	max. 7.0 kW
	5.5 L
	max. 8.0 h
	min. 70 m³
	230 V

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## STONE CORE



### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Smart Home System compatible
- CO<sub>2</sub> sensor

### OPTIONAL ACCESSORIES

- Smart Home System module
- Decorative ceramic logs and glowing fibers

### AVAILABLE FINISHING VARIANTS

- 3 finish options with **DEKTON®** by Cosentino: Kreta/Laurent/Daze
- Stone Core for custom-built housing

## STONE KRETA / LAURENT / DAZE



STONE CORE / KRETA / LAURENT / DAZE	
	max. 5 kW
	13,4 L
	max. 29 h
	min. 50 m³
	230 V



Stone Daze  
BEV® Fireplace

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## ROCK CORE



### FEATURES

- Easy refilling - replaceable canister
- Remote control
- 2 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- CO<sub>2</sub> sensor

### OPTIONAL ACCESSORIES

- Decorative ceramic logs and glowing fibers

### AVAILABLE FINISHING VARIANTS

- 3 finish options with **DEKTON®** by Cosentino: Kreta/Laurent/Daze
- Rock Stone Core for custom-built housing

## ROCK KRETA / LAURENT / DAZE



ROCK CORE / KRETA / LAURENT / DAZE	
	max. 3.5 kW
	5 L
	max. 33 h
	min. 35 m³
	230 V



Rock Kreta  
BEV® Fireplace

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## PRIME FIRE 2.0 BURNER

### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 3 levels of flame
- Safety sensors
- Top finish: black powder coating
- Smart Home System compatible
- CO<sub>2</sub> sensor

### OPTIONAL ACCESSORIES


- Glass screens
- Decorative tray with logs or stones
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements
- Smart Home System module




## ARRANGEMENT OPTIONS



PRIME FIRE				
	590 mm	790 mm	990 mm	1190 mm
	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW
	3.1 L	4.3 L	5.5 L	6.8 L
	max. 5.0 h	max. 8.0 h	max. 8.0 h	max. 9.0 h
	min. 31 m³	min. 44 m³	min. 70 m³	min. 94 m³
	19.9 kg	24.1 kg	27.5 kg	33.0 kg
	230 V			



Prime Fire  
BEV® Burner  
Project 上海陆家嘴 滨江凯旋门  
Design by 上海观安设计  
The designer 李曾娜



Prime Fire  
BEV® Burner  
House CC- Elegant Lifestyle  
design by: AIO Grafic RO

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



## FORMA FIREPLACE (with Prime Fire 2.0 burner)



### FEATURES

- Prime Fire 2.0 technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 4 lengths and 7 arrangement options
- Easy installation
- Higher side glass panels available in Tunnel, Room Divider and Island models

### OPTIONAL ACCESSORIES

- Decorative tray with ceramic logs or white stones
- Smart Home System module

### ARRANGEMENT OPTIONS



FORMA FIREPLACE WITH PRIME FIRE 2.0 BURNER				
	BURNER 590 mm FIREPLACE 800 mm	BURNER 790 mm FIREPLACE 1000 mm	BURNER 990 mm FIREPLACE 1200 mm	BURNER 1190 mm FIREPLACE 1500 mm
	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW
	3.1 L	4.3 L	5.5 L	PF 6.8 L
	max. 6.0 h	max. 9.0 h	max. 10.0 h	max. 11.0 h
	min. 31 m³	min. 44 m³	min. 70 m³	min. 94 m³
	230 V			

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



## VERTICAL (with Neo 500 burner)



### FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Glass enclosed
- Logs set included

## BASKET FIRE LOGS



### FEATURES

- Automatic refilling system
- Freestanding
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Finish: black powder coating

### OPTIONAL ACCESSORIES

- Decorative grate


	BASKET FIRE LOGS	VERTICAL
	max. 2.8 kW	max. 3.1 kW
	1.75 L	1.7 L
	max. 6.5 h	max. 5 h
	min. 28 m³	min. 31 m³
	230 V	230 V

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## NEO BURNER



### FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor

### OPTIONAL ACCESSORIES

- Tray with decorative logs and glowing fibers

## NEO FIREPLACE



### FEATURES

- Zero clearance
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor

### DETACHABLE SIDE PANELS



### OPTIONAL ACCESSORIES

- Tray with decorative logs and glowing fibers

	NEO BURNER 500 / 750 / 1000	NEO FIREPLACE 500 / 750 / 1000
	3.1 / 4.1 / 5.9 kW	3.1 / 4.1 / 5.9 kW
	1.7 / 2.1 / 2.9 L	1.7 / 2.1 / 2.9 L
	5 / 6 / 4 h	5 / 6 / 4 h
	min. 31 / 41 / 59 m³	min. 31 / 41 / 59 m³
	230 V	

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## RETRO (with Neo 500 / 1000 burner)



### FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor

### OPTIONAL ACCESSORIES

- Tray with decorative logs and glowing fibers

## COTTAGE (with Neo 500 burner)



### FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Tray with decorative logs and glowing fibers

	RETRO 500 / 1000	COTTAGE
	3.1 / 5.9 kW	3.1 kW
	1.7 / 2.9 L	1.7 L
	5 / 4 h	5 h
	min. 31 / 59 m³	min. 31 m³
	230 V	

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## POLARIS



### FEATURES

- Removable fuel tank
- Freestanding
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Finish: black powder coating

### OPTIONAL ACCESSORIES

- Decorative ceramic logs set with glowing fibers

## SCANDI



### FEATURES

- Removable fuel tank
- Freestanding
- Flue connector (For optional heat extraction)
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Finish: black powder coating

### OPTIONAL ACCESSORIES

- Decorative ceramic logs set with glowing fibers

	POLARIS	SCANDI
	max. 3.5 kW	max. 4.1 kW
	5.0 L	5.0 L
	max. 33 h	max. 33 h
	min. 35 m³	min. 41 m³
	36.5 kg	62.0 kg
	230 V	



Polaris  
BEV® Fireplace



Scandi  
BEV® Fireplace  
@architekt\_mo\_home

# WATER VAPOUR & ELECTRIC FIREPLACES

INDOOR COLLECTION




# OPTIMYST® TECHNOLOGY

## DISCOVER WATER VAPOUR TECHNOLOGY FOR FIREPLACES









Optimyst technology is an advanced system that creates a highly realistic flame effect using water vapour. It offers a safe, energy-efficient, and eco-friendly alternative to traditional fireplaces, providing the ambiance of fire without actual combustion.

### HOW DOES IT WORK?

An ultrasonic device produces mist, which is illuminated by the ActiveLED system, simulating real flames. Spectral lenses scatter light allowing for a full spectrum of flame colors and changes in their intensity. Multidimensional steam lighting gives a realistic flame effect, perfectly complementing any interior.



### WHY WATER VAPOUR FIREPLACES?

 EASY INSTALLATION WITH NO CHIMNEY	 SAFE TOUCH	 ADJUSTABLE FLAME COLORS (RGB PALETTE)	 CONTROLLED BY MOBILE APP OR A REMOTE
 SOUND OF CRACKLING WOOD	 IMPROVES AIR QUALITY	 UP TO 10M FLAMELINE	 ECO-FRIENDLY



Cool Flame 1000 Fireplace  
Water vapour Fireplace

# INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

## COOL FLAME INSERT



### FEATURES

- Removable water tank - easy refilling
- Remote control
- Wi-Fi and mobile app
- Realistic sounds of burning wood
- Active LED flame color in full RGB spectrum
- Flame height regulation
- No heating function
- Finish: black powder coating
- Modular connection
- Finish: black powder coating
- Technical glass
- Aromatherapy set

### OPTIONAL ACCESSORIES

- Decorative logs set
- Additional technical glass (for see-through arrangements)
- RAL top plate painting

## COOL FLAME PRO INSERT







### FEATURES

- Permanent water connection - no need for refilling
- Water filter
- Remote control
- Wi-Fi and mobile app
- Realistic sounds of burning wood
- Active LED flame color in full RGB spectrum
- Flame height regulation
- No heating function
- Finish: black powder coating
- Modular connection
- Technical glass
- Aromatherapy set

### OPTIONAL ACCESSORIES

- Decorative logs set
- Additional technical glass (for see-through arrangements)
- RAL top plate painting

	COOL FLAME 500/1000/1500/2000 INSERT	COOL FLAME PRO 500/1000/1500/2000 INSERT
	1.2 L / 2.4 L / 3.6 L / 4.8 L	Permanent water connection
	max. 12 h	limitless
	8 kg / 14.5 kg / 25 kg / 30 kg	9 kg / 15 kg / 25.5 kg / 30.5 kg
	230 V	



Cool Flame 2000 Insert  
Water vapour Fireplace




Cool Flame 1000 Insert  
Water vapour Fireplace

# INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

## COOL FLAME / COOL FLAME PRO FIREPLACE



### FEATURES


- Features of Cool Flame / Cool Flame Pro
- Dedicated casing in 4 installation options:



### OPTIONAL ACCESSORIES

- Decorative logs set
- RAL top plate painting

## COOL FLAME / COOL FLAME PRO SEE-THROUGH FIREPLACE



### FEATURES

- Features of Cool Flame / Cool Flame Pro
- Dedicated casing in 3 installation options:



### OPTIONAL ACCESSORIES

- Decorative logs set
- RAL top plate painting

	COOL FLAME 500/1000 FIREPLACE	COOL FLAME PRO 500/1000 FIREPLACE
	1.2 L / 2.4 L	Permanent water connection
	max. 12 h	limitless
	25 kg / 37 kg	26 kg / 28 kg
	230 V	

# INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

## AI (with Cool Flame insert)



### FEATURES

- Features of Cool Flame
- Dedicated casing

### OPTIONAL ACCESSORIES

- Decorative logs set

## AURA (with Cool Flame 500 insert)



### FEATURES

- Features of Cool Flame
- Dedicated casing
- Glass panels on sides (open front)
- Decorative logs set included

	AI 500/1000	AURA
	1.2 L / 2.4 L	1.2 L
	max. 12 h	max. 12 h
	230 V	

INDOOR ELECTRIC FIRES

ASTRO FIREPLACE



FEATURES

- Remote control
- Wall switch panel
- LED colour adjustment
- Multizone LED
- 2 level heating
- 2 Side Panels included
- Resin Logs and Vivid Crystals
- Thermostat
- Auto-off timer


OPTIONAL ACCESSORIES



DETACHABLE SIDE PANELS (INCLUDED IN SET)



INSTALLATION OPTIONS



ASTRO				
	850 mm	1200 mm	1500 mm	1800 mm
	42.0 kg	59.0 kg	72.5 kg	85.0 kg
	Two-stage heating power: 1500 W & 3000 W			
	230 V			



Astro  
Electric Fireplace



Astro  
Electric Fireplace

# GAS FIREPLACES

---

INDOOR COLLECTION



# INDOOR GAS FIRES

## LINEAR GAS FIREPLACE (Conventional Flue System)

### SINATRA FIREPLACE



#### FEATURES

- NG or LPG gas
- Remote control
- Smart Home System compatible
- Back wall finish:
  - Black matte steel
- Decorative accessories:
  - Black vermiculite (included)
- Ceramic glass

#### OPTIONAL ACCESSORIES

- Custom length and shape
- Wi-Fi module



Sinatra  
Gas Fireplace

#### OPTIONAL ACCESSORIES



#### ARRANGEMENT OPTIONS



SINATRA				
	1200 mm	1600 mm	2000 mm	2400 mm
	(NG) max. 10.3 kW (LPG) max. 9.5 kW	(NG) max. 15.0 kW (LPG) max. 14.3 kW	(NG) max. 19.7 kW (LPG) max. 19.0 kW	(NG) max. 19.8 kW (LPG) max. 20.0 kW
	(NG) max. 1.09 m³/h (LPG) max. 0.75 kg/h	(NG) max. 1.58 m³/h (LPG) max. 1.12 kg/h	(NG) max. 2.09 m³/h (LPG) max. 1.50 kg/h	(NG) max. 2.09 m³/h (LPG) max. 1.57 kg/h
	Conventional			
	230 V			

\*Antireflective glass available only for 1200, 1600 and 2000 length



Sinatra  
Gas Fireplace



Sinatra  
Gas Fireplace



Sinatra  
Gas Fireplace

# AUTOMATIC BEV<sup>®</sup> FIREPLACES

OUTDOOR COLLECTION




Cabo Table Kreta  
BEV<sup>®</sup> Outdoor Fireplace

# OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)



## CABO BURNER




### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Weather resistant

### OPTIONAL ACCESSORIES

- Protective fabric cover

## CABO KRETA / LAURENT / DAZE



### FEATURES

- Cabo burner technical features
- 3 finish options with **DEKTON®** by Cosentino: Daze/Laurent/Kreta

### OPTIONAL ACCESSORIES

- Protective fabric cover

CABO BURNER / KRETA / LAURENT / DAZE	
	max. 9.4 kW
	5 L
	max. 8 h
	min. 94 m³ (if used indoors)
	230 V



Cabo Table Daze  
BEV® Outdoor Fireplace

# OUTDOOR / INDOOR ETHANOL FIRES

FIREPLACES IN TABLE (Net Zero® fireplace with BEV® Technology)



CABO TABLE LAURENT / KRETA / DAZE



## FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant

## OPTIONAL ACCESSORIES

- Protective fabric cover

## AVAILABLE FINISHING VARIANTS

- 3 finish options with **DEKTON®** by Cosentino:  
Laurent/Daze/Kreta

CABO TABLE LAURENT / KRETA / DAZE	
	max. 9.4 kW
	10.5 L
	max. 15 h
	min. 94 m³
	230 V



Cabo Laurent  
BEV® Fireplace



Cabo Table Daze  
BEV® Outdoor Fireplace

# OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)



## PORTO CORE



### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant
- Portable - includes wheels

### OPTIONAL ACCESSORIES

- Protective fabric cover



Porto Daze  
BEV® Fireplace

## PORTO KRETA / LAURENT / DAZE



### FEATURES

- Porto core technical features
- 3 finish options with **DEKTON®** by Cosentino: Daze/Laurent/Kreta

### OPTIONAL ACCESSORIES

- Protective fabric cover



Porto Laurent  
BEV® Outdoor Fireplace

PORTO CORE / KRETA / LAURENT / DAZE	
	max. 3.7 kW
	5 L
	max. 14 h
	min. 37 m³ (if used indoors)
	230 V



# GAS FIREPLACES

---


OUTDOOR COLLECTION

Galio Star Black  
Gas outdoor fires

# OUTDOOR GAS FIRES


GAS FIREPLACES *(With automatic control system)*

## GALAXY 1150 / 2000 BURNER



- FEATURES**
- Automatic control system
  - Remote control
  - Wall switch panel
  - Smart home compatible
  - Fuel variants to choose before purchase:  
Gas Cylinder (propane or propane-butane) or Natural Gas
  - Thermocouple
  - Smooth flame height regulation
  - Easy to install

## GALAXY DAZE / LAURENT / KRETA



- FEATURES**
- Galaxy burner technical features
  - 3 finish options with **DEKTON®** by Cosentino: Daze/Laurent/Kreta

## OPTIONAL ACCESSORIES



	GALAXY 1150 BURNER / DAZE / LAURENT / KRETA	GALAXY 2000 BURNER
	(NG) max. 10.1kW (LPG) max. 13.4kW	(NG) max. 18.6 kW (LPG) max. 22 kW
	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h	(NG) max. 1.77 m³/h (LPG) max. 1.56 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar



Galaxy Laurent  
Outdoor Gas Fireplace




Galaxy Daze  
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

## GALAXY TABLE LAURENT / KRETA / DAZE



### FEATURES

- Automatic control system
- Remote control
- Smart home compatible
- Fuel variants to choose before purchase:  
Gas Cylinder (propane or propane-butane) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

### AVAILABLE VARIANTS

- 3 finish options with **DEKTON**<sup>®</sup>  
by Cosentino: Laurent/Kreta/Daze

## PIVOT LAURENT / KRETA / DAZE



### FEATURES




- Automatic control system
- Remote control
- Smart home compatible
- Fueled with propane or propane-butane
- Thermocouple
- Smooth flame height regulation
- Easy to install

### AVAILABLE VARIANTS

- 3 finish options with **DEKTON**<sup>®</sup>  
by Cosentino: Daze/Laurent/Kreta

## OPTIONAL ACCESSORIES



	GALAXY TABLE LAURENT / KRETA / DAZE	PIVOT LAURENT / KRETA / DAZE
	(NG) max. 10.1kW (LPG) max. 13.4kW	(LPG) max. 11.8 kW
	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h	(LPG) max. 0.93 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(LPG) 37 mbar



Galaxy Table Laurent  
Outdoor Gas Fireplace




Pivot Kreta  
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

GAS FIREPLACES *(With manual control system)*


## GALIO INSERT AUTOMATIC



### FEATURES

- Fuel variants to choose before purchase:  
Gas Cylinder (propane or propane-butane) or Natural Gas
- Automatic control:
  - remote control included
  - wall switch panel
  - SHS compatible
- Thermocouple
- Smooth flame height regulation

## GALIO BLACK / CORTEN AUTOMATIC



### FEATURES

- Galio insert automatic technical features
- 2 finishing options: corten or black steel

### OPTIONAL ACCESSORIES



	GALIO INSERT AUTOMATIC		GALIO BLACK / CORTEN AUTOMATIC
	1000 mm	2000 mm	1140 mm
	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(NG) max. 16.5 kW (LPG) max. 16.5 kW	(NG) max. 9.4 kW (LPG) max. 11.8 kW
	(NG) max. 1.0 m³/h (LPG) max. 0.93 kg/h	(NG) max. 1.75 m³/h (LPG) max. 1.30 kg/h	(NG) max. 1.0 m³/h (LPG) max. 0.93 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar
	21.0 kg	33.0 kg	31.0 kg



Galio Insert  
Outdoor Gas Fireplace




Galio Insert  
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

GAS FIREPLACES *(With manual control system)*


## GALIO INSERT MANUAL



### FEATURES

- Fuel variants to choose before purchase:  
Gas Cylinder (propane or propane-butane) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation

## GALIO BLACK / CORTEN MANUAL



### FEATURES

- Galio insert manual technical features
- 2 finishing options: corten or black steel

## OPTIONAL ACCESSORIES



	GALIO INSERT MANUAL / GALIO BLACK MANUAL / GALIO CORTEN MANUAL	
	(NG) max. 13.6 kW (LPG) max. 11.8 kW	
	(NG) max. 1.22 m³/h (LPG) max. 0.93 kg/h	
	(NG) 20 mbar (LPG) 37 mbar	
	13.0 kg / 31.0 kg	



Galio Corten  
Outdoor Gas Fireplace



Galio Black  
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

## GALIO STAR INSERT AUTOMATIC



### FEATURES

- Automatic control system
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- For custom-built housing
- Easy to install

## GALIO STAR CORTEN/BLACK AUTOMATIC



### FEATURES

- Galio star insert automatic technical features
- 2 finishing options: Corten or black steel


### OPTIONAL ACCESSORIES



	GALIO STAR INSERT AUTOMATIC	GALIO STAR CORTEN AUTOMATIC GALIO STAR BLACK AUTOMATIC
		(NG) max. 16,4 kW (LPG) max. 17,3 kW
		(NG) max. 1,5 m³/h (LPG) max. 1,4 kg/h
		(NG) 20 mbar (LPG) 37 mbar
	170 kg	370 kg



Galio Star Black Automatic  
Outdoor Gas Fireplace



Galio Star Black Automatic  
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

## STELLA INSERT MANUAL



### FEATURES

- Manual control system
- Fueled with propane or propane-butane
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

## STELLA TABLE DAZE/LAURENT/KRETA MANUAL



### FEATURES

- Stella insert manual technical features
- 3 finish options with **DEKTON**® by Cosentino: Daze/Laurent/Kreta

### OPTIONAL ACCESSORIES



	STELLA INSERT MANUAL			STELLA TABLE MANUAL
	500 mm	600 mm	800 mm	954 mm
	(LPG) max. 5.9 kW	(LPG) max. 12.7 kW	(LPG) max. 22.0 kW	(LPG) max. 12.7 kW
	(LPG) max. 0.36 kg/h	(LPG) max. 0.9 kg/h	(LPG) max. 1.56 kg/h	(LPG) max. 0.9 kg/h
	(LPG) 37 mbar			



Stella Insert  
Outdoor Gas Fireplace



Stella Table Daze  
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

## STELLA INSERT AUTOMATIC



### FEATURES

- Fuel variants to choose before purchase:  
Gas Cylinder (propane or propane-butane)  
or Natural Gas
- Automatic control:
  - remote control included
  - wall switch panel
  - SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

## STELLA TABLE DAZE/LAURENT/KRETA AUTOMATIC



### FEATURES

- Stella insert automatic technical features
- 3 finish options with **DEKTON**® by Cosentino: Daze/Laurent/Kreta

### OPTIONAL ACCESSORIES



	STELLA INSERT AUTOMATIC			STELLA TABLE AUTOMATIC
	500 mm	600 mm	800 mm	954 mm
	(NG) max. 4.7 kW (LPG) max. 5.1 kW	(NG) max. 9.5 kW (LPG) max. 10.0 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW
	(NG) max. 0.5 m³/h (LPG) max. 0.4 kg/h	(NG) max. 0.85 m³/h (LPG) max. 0.78 kg/h	(NG) max. 1.47 m³/h (LPG) max. 1.35 kg/h	(NG) max. 1.47 m³/h (LPG) max. 1.35 kg/h
	(NG) 20 mbar (LPG) 37 mbar			



Stella Insert  
Outdoor Gas Fireplace



Stella Table Laurent  
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

OIA LAURENT / KRETA / DAZE




FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding

AVAILABLE VARIANTS

- 3 finish options with **DEKTON**<sup>®</sup> by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES



OIA Kreta  
Outdoor Gas Fireplace

ZOIA LAURENT / KRETA / DAZE



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding




AVAILABLE VARIANTS

- 3 finish options with **DEKTON**<sup>®</sup> by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES




ZOIA Laurent  
Outdoor Gas Fireplace

	OIA DAZE /LAURENT / KRETA	ZOIA DAZE /LAURENT / KRETA
	(LPG) max. 7.0 - 10.0 kW	
	(LPG) max. 0.4 - 0.5 kg/h	
	(LPG) 37 mbar	

# OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

## MICO MANUAL




- FEATURES**
- Manual control system
  - Fueled with propane or propane-butane
  - Thermocouple
  - Smooth flame height regulation
  - Decorative stones
  - For custom-built housing

## MICO AUTOMATIC



- FEATURES**
- Fuel variants to choose before purchase:  
Gas Cylinder (propane or propane-butane)  
or Natural Gas
  - Automatic control:
    - remote control included
    - wall switch panel
    - SHS compatible
  - Thermocouple
  - Smooth flame height regulation
  - Decorative stones
  - For custom-built housing

## OPTIONAL ACCESSORIES



	MICO MANUAL			MICO AUTOMATIC		
	500 mm	600 mm	800 mm	500 mm	600 mm	800 mm
	(LPG) max. 5.9 kW	(LPG) max. 12.7 kW	(LPG) max. 22.0 kW	(NG) max. 4.7 kW (LPG) max. 5.1 kW	(NG) max. 9.5 kW (LPG) max. 10.0 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW
	(LPG) max. 0.36 kg/h	(LPG) max. 0.9 kg/h	(LPG) max. 1.56 kg/h	(NG) max. 0.5 m³/h (LPG) max. 0.4 kg/h	(NG) max. 0.85 m³/h (LPG) max. 0.78 kg/h	(NG) max. 1.47 m³/h (LPG) max. 1.35 kg/h
	(LPG) 37 mbar			(NG) 20 mbar (LPG) 37 mbar		



Mico Insert  
Outdoor Gas Fireplace



Mico Insert  
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic and manual control system)*

## GALIO H INSERT AUTOMATIC



### FEATURES


- Automatic control system
- Fuel variants to choose before purchase:  
Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install
- For custom-built housing

### OPTIONAL ACCESSORIES



Galio H Insert Automatic  
Outdoor Gas Burner

## FIKA



### FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding
- Glass panels
- Glass top plate

### OPTIONAL ACCESSORIES



Fika  
Outdoor Gas Burner

	GALIO H INSERT AUTOMATIC	FIKA
	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(LPG) max. 7.0 - 10.0 kW
	(NG) max. 1.0 m³/h (LPG) max. 0.9 kg/h	(LPG) max. 0.50 - 0.65 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(LPG) 37 mbar


# OUTDOOR GAS FIRES





GAS FIREPLACES *(With automatic and manual control system)*

## LIGHTHOUSE



- FEATURES**
- Fueled with propane or propane-butane
  - Thermocouple
  - Tempered glass
  - Anti-tilt valve
  - Decorated with black diamond stones
  - Freestanding



LIGHTHOUSE	
	(LPG) max. 7.0 - 10.0 kW
	(LPG) max. 0.50 - 0.65 kg/h
	(LPG) 37 mbar
	27.5 kg



Lighthouse  
Gas Patio Heater

# COMMERCE

## FIREPLACES

### OUTDOOR COLLECTION

## OUTDOOR / INDOOR ETHANOL FIRES

COMMERCE TECHNOLOGY™ (Absorbent Ceramic Fibers)



TOTEM



JAR



RONDO



SIMPLE

#### FEATURES

- Easy refilling system
- Safe burning technology
- No electricity required

#### OPTIONAL ACCESSORIES



	TOTEM	JAR	RONDO	SIMPLE
	[ØxH] 395 x 1070 mm	[ØxH] 410 x 795 mm	[ØxH] 412 x 412 mm	[ØxH] 308 x 418 mm
	24.5 kg	41.5 kg	7.0kg	6.5 kg
	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW
	3.0 L	3.0 L	3.0 L	1.5 L
	max. 7 h	max. 7 h	max. 7 h	max. 3.5 h
	min. 25 m³	min. 25 m³	min. 25 m³	min. 25 m³

Totem/Simple Commerce  
The Address Downtown

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.

# planika

PLANIKA

planika@planika.com

www.planika.com



facebook.com/planikafire



instagram.com/planikafires



youtube.com/planikafires



pinterest.com/planika



linkedin.com/in/planika

