

planika

# PREMIUM FIREPLACES

DESIGN
BEV TECHNOLOGY
ECOLOGY

2026

# INDEX


## INTRODUCTION

**02** OUR STORY

**04** CUSTOM FIREPLACES

## INDOOR COLLECTION

**06** AUTOMATIC BEV® FIREPLACES

**44** ELECTRIC FIREPLACES

## OUTDOOR COLLECTION

**48** AUTOMATIC BEV® FIREPLACES

**56** GAS FIREPLACES

**74** COMMERCE® FIREPLACES

# **our**story

Over 20 years ago, a simple bonfire beneath the iconic Ayers Rock in Australia ignited a vision. Inspired by the captivating flames and ancient Aboriginal tales, Alfred Weilandt and Jerry Dąbrowski set out to create a way to bring fire into contemporary interiors—without the soot, ash, or need for a chimney. This idea led to the development of automatic bioethanol fireplaces, combining advanced technology, safety, and the timeless appeal of natural flames. Powered by our patented BEV® Technology, these fireplaces burn cleanly and efficiently, offering a modern, environmentally friendly solution for creating a warm, inviting atmosphere.

As our expertise grew, so did our portfolio. To complement our bioethanol fireplaces, we introduced additional technologies: gas fireplaces for easy installation and reliable performance, water vapour fireplaces for a lifelike, emission-free flame effect using only water and light, and electric fireplaces with customizable LED flames. While bioethanol remains the heart of what we do, these innovations allow us to meet diverse needs and enhance the possibilities of fire design in any space.

At the core of Planika's success is a dedication to quality, sustainability, and family values. A few years ago, Jarosław Dąbrowski's daughter, Patrycja Gierak, joined our team, bringing fresh energy to the legacy of craftsmanship and trust. Our team operates without hierarchy, ensuring creativity and passion guide every product we create.

With a presence in over 100 countries and a focus on ecological responsibility, Planika continues to lead the way in advanced fire technologies—delivering solutions that combine innovation, design, and respect for the environment.

*~This made it possible to give you truly unique solutions in fire design.*

*Planika*

# CUSTOM FIREPLACES

## SKY IS THE LIMIT

Choose from our range of chimney-free fireplaces and tailor the solution to fit your project. Customize the color, finish, shape, length, and flame type. It's your project, your rules—we provide the solutions.

## COLOUR AND FINISH OF A BURNER

Choose any RAL colour and one of three finishes - Matte, Silk or Gloss.



## TECHNOLOGY

Choose the perfect technology for your project. BEV bio fireplaces offer a clean, eco-friendly flame, water vapor fireplaces create a realistic fire effect without heat, and LED technology gives full control over the fire's appearance.

# CUSTOM FIREPLACES

## SHAPE OF A BURNER

Personalize the shape to harmonize with the interior. Every detail is in your hands, allowing everything to align with your aesthetics and project needs.



## DIMENSIONS OF A BURNER

Tailor the length of the burner to perfectly fit your space. Whether you need a compact or extended size, we offer flexibility in dimensions to match the scale of your project.




## PROJECT DEPARTMENT

Our Project Department offers free project reviews to ensure safe distances and finishes. As part of your project, we can meet nearly any need and bring almost any idea to life.

# AUTOMATIC

## BEV® FIREPLACES

### INDOOR COLLECTION

**Fire Line Automatic**
BEV® Burner
Design by **Porada**

# BEV® TECHNOLOGY

## GAME-CHANGING INNOVATION IN FIREPLACE INDUSTRY

The BEV® technology is the most advanced technology on the fireplace market and it has revolutionized the industry. It is now possible to have a line of fire in a media wall under TV, in an apartment on a higher floor, arranged as a room divider or even on a yacht. For years now, this innovative solution has been taking projects with real fire to the next level. You can use fireplaces with the BEV® technology anywhere you want, without any limitations. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

## PLANIKA AUTOMATIC FIRE




BEV® BURNING ETHANOL VAPOURS TECHNOLOGY

O-TL

WITHOUT CHIMNEY

NO SMELL, NO SOOT, NO ASH

NO CONTACT BETWEEN FUEL AND FIRE

CONTROLLED BY MOBILE APP OR A REMOTE

AUTOMATIC REFUELLING

SAFETY SENSORS

REAL FIRE

EASY INSTALLATION

## HOW DOES THE BEV® TECHNOLOGY WORK?

The entire burning process is fully automated. The fireplace takes only the required amount of fuel from the tank and the pump transports it to the combustion chamber. The bioethanol is vapourised and distributed along the entire length of the burner where it is then combusted. The fire does not come in any direct contact with the liquid fuel. Thanks to the isolated fuel tank, the cooling fans and the combustion chamber, the temperature of the ethanol fuel is always low and safe.

The microprocessor communicates with many sensors inside the fireplace and controls its entire operation. The fireplace informs you of any actions with a sound signal and a message in the mobile app. The convenient remote control of the fireplace eliminates any risk of human error.



# Net Zero®

## CARBON NEUTRAL SOLUTION FOR PREMIUM DESIGN

Planika's mission is to create safe fireplaces that leave little to no impact on the environment. Our automatic fireplaces with the BEV® technology are fuelled with bioethanol - organic eco-fuel. This allows to use our products where traditional fireplaces are prohibited by the environmental restrictions. Planika has developed the cutting-edge solution - the true $CO_2$ - neutral fireplaces of the future.

## WHAT IS FANOLA FUEL?

- 96% ethanol concentration
- odourless and clean combustion
- plant-origin distillate
- particulate-free
- multi-distillated
- pharmaceutical quality
- natural, golden flame

## HOW ARE PLANIKA'S BEV® FIREPLACES $CO_2$ NEUTRAL?




Planika's fireplaces utilize multi-rectified bioethanol which is made from plants, such as wheat, corn or potatoes. The BEV® Technology turns liquid fuel into ethanol vapours to provide the safest combustion process and the most natural fire. The clean burning of ethanol vapours emits only a small amount of $CO_2$ – similar to that exhaled by a human. No ash, soot, or smoke are produced. 100% of the emissions are absorbed by the same plants that are used to produce the biofuel. This way the carbon emission process comes full circle.

## WORK WITH PROFFESIONALS

TECHNICAL TRAININGS

ARCHITECT ZONE WITH 3D MODELS

PROJECT SUPPORT

# INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV® BURNING ETHANOL VAPOURS TECHNOLOGY

## FIRE LINE AUTOMATIC 4 (FLA4 BURNER)




### FEATURES

- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Variant with larger fuel tank (FLA4+)
- Smart Home System compatible
- $CO_2$ sensor
- Top finish:

  -Black powder coating (standard)
  -Stainless steel (optional)
  -RAL colour (optional)

## FIRE LINE AUTOMATIC 4+ (FLA4+ BURNER)




### OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements

### ARRANGEMENT OPTIONS

*Arrangments that require frame with glass screens*

**S**INGLE-**S**IDED | **L**EFT / **R**IGHT **C**ORNER | **T**HREE-**S**IDED | **A**GAINST **T**HE **W**ALL

**F**REESTANDING | **R**OOM **D**IVIDER | **T**UNNEL | **I**SLAND

| | FLA4 / FLA4+ | | | | | | |
|---|---|---|---|---|---|---|---|
| | **590 mm** | **790 mm** | **990 mm** | **1190 mm** | **1490 mm** | **1990 mm** | **2490 mm** |
| | max. 3.1 kW | max. 4.4 kW | max. 7.0 kW | max. 9.4 kW | max. 13.0 kW | max. 18.0 kW | max. 22.5 kW |
| | 3.1 L / 9.6 L | 4.3 L / 13.4 L | 5.5 L / 17.2 L | 6.8 L / 21.0 L | 8.6 L / 26.8 L | 11.7 L / 36.3 L | 14.8 L / 45.9 L |
| | max. 5.0 h / 16.0 h | max. 8.0 h / 25.0 h | max. 8.0 h / 26.0 h | max. 9.0 h / 30.0 h | max. 9.0 h / 30.0 h | max. 10.0 h / 31.0 h | max. 10.0 h / 31.0 h |
| | min. 31 $m^3$ | min. 44 $m^3$ | min. 70 $m^3$ | min. 94 $m^3$ | min. 130 $m^3$ | min. 180 $m^3$ | min. 225 $m^3$ |
| | 19.9 kg / 22.4 kg | 24.1 kg / 32.0 kg | 27.5 kg / 38.5 kg | 33.0 kg / 44.0 kg | 39.5 kg / 52.5 kg | 49.5 kg / 67.5 kg | 58.5 kg / 81.5 kg |
| | 230 V | | | | | | |

**Fire Line Automatic**
BEV® Burner

**Fire Line Automatic**
BEV® Burner
Design by **Iris**

# FIRST OF ITS KIND
# **FIREPLACE ON A YACHT**

**Fire Line Automatic**
BEV® Burner
Design by **Mondomarine**
Serenity yacht

**Fire Line Automatic**
BEV® Burner

**Fire Line Automatic**
BEV® Burner

# INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL FIREPLACE *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

## FORMA FIREPLACE *(with FLA4 / FLA4+ burner)*

### FEATURES

- FLA4/FLA4+ technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 7 lenghts and 7 arrangement options
- Easy installation
- Higher side glass panels included in Tunnel, Room Divider and Island models

### OPTIONAL ACCESSORIES

- Decorative tray with logs or stones
- Smart Home System module

### ARRANGEMENT OPTIONS

SINGLE-SIDED

LEFT CORNER

RIGHT CORNER

THREE-SIDED

TUNNEL

ROOM DIVIDER

ISLAND

| | FORMA FIREPLACE WITH FLA4 / FLA4+ BURNER | | | | | | |
|---|---|---|---|---|---|---|---|
| | BURNER 590 mm<br>FIREPLACE 800 mm | BURNER 790 mm<br>FIREPLACE 1000 mm | BURNER 990 mm<br>FIREPLACE 1200 mm | BURNER 1190 mm<br>FIREPLACE 1500 mm | BURNER 1490 mm<br>FIREPLACE 1800 mm | BURNER 1990 mm<br>FIREPLACE 2300 mm | BURNER 2490 mm<br>FIREPLACE 2700 mm |
| | max. 3.1 kW | max. 4.4 kW | max. 7.0 kW | max. 9.4 kW | max. 13.0 kW | max. 18.0 kW | max. 22.5 kW |
| | **FLA4** 3.1 L<br>**FLA4+** 9.6 L | **FLA4** 4.3 L<br>**FLA4+** 13.4 L | **FLA4** 5.5 L<br>**FLA4+** 17.2 L | **FLA4** 6.8 L<br>**FLA4+** 21.0 L | **FLA4** 8.6 L<br>**FLA4+** 26.8 L | **FLA4** 11.7 L<br>**FLA4+** 36.3 L | **FLA4** 14.8 L<br>**FLA4+** 45.9 L |
| | **FLA4** max. 5.0 h<br>**FLA4+** max. 16.0 h | **FLA4** max. 8.0 h<br>**FLA4+** max. 25.0 h | **FLA4** max. 8.0 h<br>**FLA4+** max. 26.0 h | **FLA4** max. 9.0 h<br>**FLA4+** max. 30.0 h | **FLA4** max. 9.0 h<br>**FLA4+** max. 30.0 h | **FLA4** max. 10.0 h<br>**FLA4+** max. 31.0 h | **FLA4** max. 10.0 h<br>**FLA4+** max. 31.0 h |
| | min. 31 $m^3$ | min. 44 $m^3$ | min. 70 $m^3$ | min. 94 $m^3$ | min. 130 $m^3$ | min. 180 $m^3$ | min. 225 $m^3$ |
| | 230 V | | | | | | |

FLA Forma
BEV® Fireplace

**Fire Line Automatic**
Park Hyatt Auckland
**Conran&Partners**

**Fire Line Automatic**
BEV® Burner
Design by **Azovskiy + Pahamova**

**Fire Line Automatic**
BEV® burner

# INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

## PRIME FIRE 2.0 BURNER




### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 3 levels of flame
- Safety sensors
- Top finish: black powder coating
- Smart Home System compatibile
- $CO_2$ sensor

### OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements

### ARRANGEMENT OPTIONS

*Arrangments that require frame with glass screens*

**S**INGLE-**S**IDED

**L**EFT / **R**IGHT **C**ORNER

**T**HREE-**S**IDED



**A**GAINST **T**HE **W**ALL



**F**REESTANDING

**R**OOM **D**IVIDER

**T**UNNEL

**I**SLAND

| | PRIME FIRE | | | |
|---|---|---|---|---|
| | **590 mm** | **790 mm** | **990 mm** | **1190 mm** |
| | max. 3.1 kW | max. 4.4 kW | max. 7.0 kW | max. 9.4 kW |
| | 3.1 L | 4.3 L | 5.5 L | 6.8 L |
| | max. 5.0 h | max. 8.0 h | max. 8.0 h | max. 9.0 h |
| | min. 31 $m^3$ | min. 44 $m^3$ | min. 70 $m^3$ | min. 94 $m^3$ |
| | 19.9 kg | 24.1 kg | 27.5 kg | 33.0 kg |
| | 230 V | | | |

**Prime Fire 2.0**
BEV® Burner

**Prime Fire 2.0**
BEV® Burner

# INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL FIREPLACE *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

## FORMA FIREPLACE *(with Prime Fire 2.0 burner)*

### FEATURES

- Prime Fire 2.0 technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 4 lenghts and 7 arrangement options
- Easy installation
- Higher side glass panels included in Tunnel, Room Divider and Island models

### OPTIONAL ACCESSORIES

- Decorative tray with logs or stones
- Smart Home System module

### ARRANGEMENT OPTIONS

**S**INGLE-**S**IDED | **L**EFT **C**ORNER | **R**IGHT **C**ORNER | **T**HREE-**S**IDED | **T**UNNEL | **R**OOM **D**IVIDER | **I**SLAND

| | FIREPLACE WITH PRIME FIRE 2.0 BURNER | | | |
|---|---|---|---|---|
| | BURNER 590 mm<br>FIREPLACE 800 mm | BURNER 790 mm<br>FIREPLACE 1000 mm | BURNER 990 mm<br>FIREPLACE 1200 mm | BURNER 1190 mm<br>FIREPLACE 1500 mm |
| | max. 3.1 kW | max. 4.4 kW | max. 7.0 kW | max. 9.4 kW |
| | 3.1 L | 4.3 L | 5.5 L | 6.8 L |
| | max. 6.0 h | max. 9.0 h | max. 10.0 h | max. 11.0 h |
| | min. 31 $m^3$ | min. 44 $m^3$ | min. 70 $m^3$ | min. 94 $m^3$ |
| | 230 V | | | |

**Prime Fire 2.0 Forma**
BEV® Fireplace

**Prime Fire 2.0 Forma**
BEV® Fireplace

# INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

## FLA4 FLOGS

### FEATURES

- Included burning logs set
- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Smart Home System compatible
- $CO_2$ sensor

### OPTIONAL ACCESSORIES

- Smart Home System module

### ARRANGEMENT OPTIONS

**S**INGLE-**S**IDED

**L**EFT / **R**IGHT **C**ORNER

**T**HREE-**S**IDED



**A**GAINST **T**HE **W**ALL

| | FLA4 FLOGS / FLA4 FLOGS+ BURNER | |
|---|---|---|
| | **790 mm** | **990 mm** |
| | max. 6.9 kW | max. 6.9 kW |
| | **FLA4 Flogs** 4.3 L<br>**FLA4 Flogs+** 13.4 L | **FLA4 Flogs** 5.5 L<br>**FLA4 Flogs+** 17.2 L |
| | **FLA4 Flogs** max. 7.0 h<br>**FLA4 Flogs+** max. 25.0 h | **FLA4 Flogs** max. 8.0 h<br>**FLA4 Flogs+** max. 27.0 h |
| | min. 69 $m^3$ | min. 69 $m^3$ |
| | **FLA4 Flogs** 24.0 kg<br>**FLA4 Flogs+** 28.9 kg | **FLA4 Flogs** 27.5 kg<br>**FLA4 Flogs+**38.5 kg |
| | 230 V | |

**FLA4 Flogs**
BEV® Burner

**FLA4 Flogs**
BEV® Burner

# INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL FIREPLACES *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

## FLA4 FLOGS BOX

### FEATURES

- FLA4 flogs burner technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 4 arrangement options
- Easy installation
- High glass panels
- Variant with flue connection

### FLUE CONNECTION OPTIONS

- Ventless (no flue connection required)
- Flue connection
- In-room vent

VENTLESS FLUE CONNECTION IN-ROOM VENT

### ARRANGEMENT OPTIONS

SINGLE-SIDED LEFT / RIGHT CORNER THREE-SIDED THREE-SIDED

| | FLA4 FLOGS / FLA4 FLOGS+ BOX | |
|---|---|---|
| | **BURNER 800 mm**<br>**INSERT 790 mm** | **BURNER 1000 mm**<br>**INSERT 990 mm** |
| | max. 6.9 kW | max. 6.9 kW |
| | **FLA4 Flogs** 4.3 L<br>**FLA4 Flogs+** 13.4 L | **FLA4 Flogs** 5.5 L<br>**FLA4 Flogs+** 17.2 L |
| | **FLA4 Flogs** max. 7.0 h<br>**FLA4 Flogs+** max. 25.0 h | **FLA4 Flogs** max. 8.0 h<br>**FLA4 Flogs+** max. 27.0 h |
| | min. 69 $m^3$ | min. 69 $m^3$ |
| | 230 V | |

**FLA4 Flogs Box**
BEV® Fireplace

**FLA4 Flogs Box**
BEV® Fireplace

# INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL FIREPLACES *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

## CINEMA

### FEATURES

- Linear or campfire burner
- Automatic refilling system
- Up to 6 levels of flame (*depends on the burner*)
- Safety sensors
- Remote control
- Wi-fi and mobile app
- Smart home system compatible (*depends on the burner*)
- Dedicated for 55" TV (*not included*)

### BURNER OPTIONS

- FLA4/ FLA4+
- FLA Flogs/ FLA Flogs+
- Prime Fire

FLA4 FLOGS

PRIME FIRE **2.0**

| | CINEMA FLA4 / FLA4 FLOGS | CINEMA FLA4+/FLA4 FLOGS+ | CINEMA PRIME FIRE 2.0 |
|---|---|---|---|
| | **FLA4 990**<br>**FLA4 Flogs+ 990** | **FLA4+990**<br>**FLA4 Flogs+ 990** | **Prime Fire 2.0** |
| | max. 6.9 kW | max. 6.9 kW | max. 6.9 kW |
| | 5.5 L / 16.2 L | 5.5 L / 16.2 L | 5.5 L |
| | max. 8.0 h / 27.0 h | max. 27.0 h | max. 8.0 h |
| | min. 69 $m^3$ | min. 69 $m^3$ | min. 69 $m^3$ |
| | 150.0 / 161.0 kg | 148.0 / 154.0 kg | 150.0 / 161.0 kg |

**Cinema FLA4 Flogs**
BEV® Fireplace

**Cinema FLA4**
BEV® Fireplace

# INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV® BURNING ETHANOL VAPOURS TECHNOLOGY

### NEO BURNER

**FEATURES**

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- $CO_2$ sensor
- Tray with decorative logs and glowing fibers

### NEO FIREPLACE

**FEATURES**

- Zero clearance
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- $CO_2$ sensor
- Tray with decorative logs and glowing fibers

**DETACHABLE SIDE PANELS**

| | NEO BURNER 500 / 750 / 1000 | NEO FIREPLACE 500 / 750 / 1000 |
|---|---|---|
| | 3.1 / 4.1 / 5.9 kW | 3.1 / 4.1 / 5.9 kW |
| | 1.7 / 2.1 / 2.9 L | 1.7 / 2.1 / 2.9 L |
| | 5 / 6 / 4 h | 5 / 6 / 4 h |
| | min. 31 / 41 / 59 m³ | min. 31 / 41 / 59 m³ |
| | 230 V | |

**Neo**
BEV® Burner

**Neo Fireplace**
BEV® Fireplace

# INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

## PANORAMA FIREPLACE

### FEATURES

- Automatic refilling system
- External control panel
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Zero clearance
- $CO_2$ sensor
- Finish: black powder coating
- Smart Home System compatible

### OPTIONAL ACCESSORIES

- Decorative ceramic logs / white stones with glowing fibers
- Smart Home System module

### ARRANGEMENT OPTIONS

**S**INGLE-**S**IDED | **L**EFT **C**ORNER | **R**IGHT **C**ORNER | **T**HREE-**S**IDED | **T**UNNEL | **R**OOM **D**IVIDER | **I**SLAND

| | PANORAMA |
|---|---|
| | BURNER 990 mm |
| | max. 7.0 kW |
| | 5.5 L |
| | max. 10.0 h |
| | min. 70 m³ |
| | 230 V |

Panorama RD
BEV® Fireplace

Panorama TS
BEV® Fireplace

# INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL FIREPLACE *(Net Zero® fireplace with BEV® Technology)*

BEV® BURNING ETHANOL VAPOURS TECHNOLOGY

## COMET BURNER

### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- $CO_2$ sensor
- Top finish: black powder coating
- Smart Home System compatibile

### OPTIONAL ACCESSORIES

- Smart Home System module

## NEST *(with Comet burner)*

| | COMET BURNER / NEST |
|---|---|
| | max. 10.9 kW |
| | 9 L |
| | max. 11 h |
| | min. 109 m³ |
| | 230 V |

Comet
BEV® Burner

Nest
BEV® Fireplace

# INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL FIREPLACE *(Net Zero® fireplace with BEV® Technology)*

### PILLAR

### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- $CO_2$ sensor
- Top finish: black powder coating
- Smart Home System compatibile
- Custom Pillar housing

### OPTIONAL ACCESSORIES

- Smart Home System module

| | PILLAR |
|---|---|
| | max. 10.9 kW |
| | 9 L |
| | max. 11 h |
| | min. 109 m³ |
| | 230 V |

Pillar
BEV® Fireplace

Pillar
BEV® Fireplace

# INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL FIREPLACE *(Net Zero® fireplace with BEV® Technology)*

## ONI FLOGS

### FEATURES

- FLA4 Flogs Burner technical features
- Included burning logs set
- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Smart Home System compatible
- $CO_2$ sensor

### CONNECTION OPTION

- Flue connection
- In-room vent

FLUE CONNECTION

IN-ROOM CONNECTION

| | ONI FLOGS (FLUE CONNECTION) | ONI FLOGS (IN-ROOM VENT) |
|---|---|---|
| | max. 6.9 kW | |
| | 5.5 L | |
| | max. 8.0 h | |
| | min. 69 m³ | |
| | 144.3 kg | 145.3 kg |

Oni Flogs
BEV® Fireplace

Oni Flogs
BEV® Fireplace

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

## ROCK CORE

### FEATURES

- Easy refilling - replacable canister
- Remote control
- 2 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- $CO_2$ sensor

### OPTIONAL ACCESSORIES

- Decorative ceramic logs and glowing fibers

### AVAILABLE FINISHING VARIANTS

- 3 finish options with DEKTON® by Cosentino: Kreta/Laurent/Nacre
- Rock Core for custom-built housing

## ROCK KRETA / LAURENT / NACRE

| | ROCK CORE / KRETA / LAURENT / NACRE |
|---|---|
| | max. 3.5 kW |
| | 5 L |
| | max. 20 h |
| | min. 35 m³ |
| | 230 V |

**Rock Kreta**
BEV® Fireplace

# INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

## POLARIS

### FEATURES

- Removable fuel tank
- Freestanding
- Remote control
- 2 levels of flame
- Safety sensors
- $CO_2$ sensor
- Finish: black powder coating

### OPTIONAL ACCESSORIES

- Decorative ceramic logs set with glowing fibers

## SCANDI

### FEATURES

- Removable fuel tank
- Freestanding
- Flue connector (For optional heat extraction)
- Remote control
- 2 levels of flame
- Safety sensors
- $CO_2$ sensor
- Finish: black powder coating

### OPTIONAL ACCESSORIES

- Decorative ceramic logs set with glowing fibers

| | POLARIS | SCANDI |
|---|---|---|
| | max. 4 kW | max. 3.5 kW |
| | 5.0 L | 5.0 L |
| | max. 20 h | max. 33 h |
| | min. 35 m³ | min. 35 m³ |
| | 36.5 kg | 62.0 kg |
| | 230 V | |

**Polaris**
BEV® Fireplace

**Scandi**
BEV® Fireplace
**@architekt_mo_home**

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

## BASKET FIRE LOGS

### FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- $CO_2$ sensor
- Tray with decorative logs and glowing fibers

### OPTIONAL ACCESSORIES

- Decorative grate

| | BASKET FIRE LOGS |
|---|---|
| | max. 2.8 kW |
| | 1.75 L |
| | max. 6.5 h |
| | min. 28 m³ |
| | 230 V |

Basket Fire Logs
BEV® Fireplace

Basket Fire Logs
BEV® Fireplace

# ELECTRIC
# FIREPLACES

## INDOOR COLLECTION

**Astro**
Eletric Fireplace

# INDOOR ELECTRIC FIRES

## ASTRO FIREPLACE




### FEATURES

- Remote control
- Wall switch panel
- LED colour adjustment
- Multizone LED
- 2 level heating
- 2 Side Panels included
- Resin Logs and Vivid Crystals
- Thermostat
- Auto-off timer

### OPTIONAL ACCESSORIES

### DETACHABLE SIDE PANELS (INCLUDED IN SET)

**S**INGLE-**S**IDED | **L**EFT **C**ORNER | **R**IGHT **C**ORNER | **T**HREE-**S**IDED

### INSTALLATION OPTIONS

RECESSED | PARTLY-RECESSED | WALL-MOUNTED | FREESTANDING

| | ASTRO | | | |
|---|---|---|---|---|
| | **850 mm** | **1200 mm** | **1500 mm** | **1800 mm** |
| | 42.0 kg | 59.0 kg | 72.5 kg | 85.0 kg |
| | Two-stage heating power: 1500 W & 3000 W | | | |
| | 230 V | | | |

**Astro**
Electric Fireplace

**Astro**
Electric Fireplace

# AUTOMATIC

## BEV® FIREPLACES

### OUTDOOR COLLECTION

# OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

## CABO BURNER

### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Weather resistant

### OPTIONAL ACCESSORIES

- Protective fabric cover

## CABO TABLE KRETA / LAURENT / NACRE

### AVAILABLE VARIANTS

- 3 finish options with DEKTON® by Cosentino: Kreta/Laurent/Nacre

| CABO BURNER / CABO TABLE |
|---|
| max. 9.4 kW |
| 10.5 L |
| max. 15 h |
| min. 94 m³ (if used indoors) |
| 230 V |

**Cabo Burner**
BEV® Outdoor Fireplace

**Cabo Table Nacre**
BEV® Outdoor Fireplace

# OUTDOOR / INDOOR ETHANOL FIRES

## AUTOMATIC ETHANOL FIREPLACE *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

## COMET OUTDOOR

### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- $CO_2$ sensor
- Top finish: black powder coating
- Smart Home System compatibile

### OPTIONAL ACCESSORIES

- Smart Home System module

## COMET TABLE KRETA / LAURENT / NACRE

### AVAILABLE VARIANTS

- 3 finish options with DEKTON® by Cosentino: Kreta/Laurent/Nacre

| | COMET OUTDOOR / COMET TABLE |
|---|---|
| | max. 10.6 kW |
| | 16.7 L |
| | max. 22 h |
| | min. 106 m³ |
| | 230 V |

Comet Outdoor
BEV® Burner

Comet Table Nacre
BEV® Fireplace

# OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES *(Net Zero® fireplace with BEV® Technology)*

BEV BURNING ETHANOL VAPOURS TECHNOLOGY

## PORTO CORE

### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant
- Portable - includes wheels

### OPTIONAL ACCESSORIES

- Protective fabric cover

## PORTO KRETA / LAURENT / NACRE

### FEATURES

- Porto core technical features
- 3 finish options with DEKTON® by Cosentino: Kreta/Laurent/Nacre

### OPTIONAL ACCESSORIES

- Protective fabric cover

| | PORTO CORE / KRETA / LAURENT / NACRE |
|---|---|
| | max. 3.7 kW |
| | 5 L |
| | max. 14 h |
| | min. 37 m³ (if used indoors) |
| | 230 V |

**Porto Nacre**
BEV® Fireplace

**Porto Laurent**
BEV® Outdoor Fireplace

# GAS
## FIREPLACES
### OUTDOOR COLLECTION

**Galio Star Black**
Gas outdoor fires

# OUTDOOR GAS FIRES

## GAS FIREPLACES *(With automatic control system)*

### GALAXY 1150 / 2000 BURNER

**FEATURES**

- Automatic control system
- Remote control
- Wall switch panel
- Smart home compatible
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

### GALAXY NACRE / LAURENT / KRETA




**FEATURES**

- Galaxy burner technical features
- 3 finish options with DEKTON® by Cosentino: Kreta/Laurent/Nacre

### OPTIONAL ACCESSORIES

| | GALAXY 1150 BURNER / KRETA / LAURENT / NACRE | GALAXY 2000 BURNER |
|---|---|---|
| | (NG) max. 10.1kW<br>(LPG) max. 13.4kW | (NG) max. 18.6 kW<br>(LPG) max. 22 kW |
| GAS | (NG) max. 0.96 m³/h<br>(LPG) max. 0.95 kg/h | (NG) max. 1.77 m³/h<br>(LPG) max. 1.56 kg/h |
| | (NG) 20 mbar<br>(LPG) 37 mbar | (NG) 20 mbar<br>(LPG) 37 mbar |

**Galaxy Laurent**
Outdoor Gas Fireplace

**Galaxy Nacre**
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

## GAS FIREPLACES *(With automatic control system)*

### GALAXY TABLE KRETA / LAURENT / NACRE

**FEATURES**

- Automatic control system
- Remote control
- Smart home compatible
- Fuel variants to choose before purchase:
  Gas Cylinder (propane or propane-butane) or
  Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

**AVAILABLE VARIANTS**

- 3 finish options with DEKTON®
  by Cosentino: Kreta/Laurent/Nacre

### OPTIONAL ACCESSORIES

| | GALAXY TABLE KRETA / LAURENT / NARCE |
|---|---|
| | (NG) max. 10.1kW<br>(LPG) max. 13.4kW |
| GAS | (NG) max. 0.96 m³/h<br>(LPG) max. 0.95 kg/h |
| | (NG) 20 mbar<br>(LPG) 37 mbar |

**Galaxy Table Nacre**
Outdoor Gas Fireplace

**Galaxy Table Kreta**
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

## GAS FIREPLACES *(With manual control system)*

### GALIO BURNER AUTOMATIC




**FEATURES**

- Fuel variants to choose before purchase:
  Gas Cylinder (propane or propane-butane) or
  Natural Gas
- Automatic control:
  - remote control included
  - wall switch panel
  - SHS compatible
- Thermocouple
- Smooth flame height regulation

### GALIO BLACK / CORTEN AUTOMATIC




**FEATURES**

- Galio insert automatic technical features
- 2 finishing options: corten or black steel

### OPTIONAL ACCESSORIES

| | GALIO BURNER AUTOMATIC | | GALIO BLACK / CORTEN AUTOMATIC |
|---|---|---|---|
| | **1000 mm** | **2000 mm** | **1140 mm** |
| | (NG) max. 9.4 kW<br>(LPG) max. 11.8 kW | (NG) max. 16.5 kW<br>(LPG) max. 16.5 kW | (NG) max. 9.4 kW<br>(LPG) max. 11.8 kW |
| GAS | (NG) max. 1.0 m³/h<br>(LPG) max. 0.93 kg/h | (NG) max. 1.75 m³/h<br>(LPG) max. 1.30 kg/h | (NG) max. 1.0 m³/h<br>(LPG) max. 0.93 kg/h |
| | (NG) 20 mbar<br>(LPG) 37 mbar | (NG) 20 mbar<br>(LPG) 37 mbar | (NG) 20 mbar<br>(LPG) 37 mbar |
| | 21.0 kg | 33.0 kg | 31.0 kg |

**Galio**
Outdoor Gas Burner

**Galio**
Outdoor Gas Burner

# OUTDOOR GAS FIRES

## GAS FIREPLACES *(With manual control system)*

### GALIO INSERT MANUAL




**FEATURES**

- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation

### GALIO BLACK / CORTEN MANUAL




**FEATURES**

- Galio insert manual technical features
- 2 finishing options: corten or black steel

**OPTIONAL ACCESSORIES**

| | GALIO INSERT MANUAL / GALIO BLACK MANUAL / GALIO CORTEN MANUAL |
|---|---|
| | (NG) max. 13.6 kW<br>(LPG) max. 11.8 kW |
| GAS | (NG) max. 1.22 m³/h<br>(LPG) max. 0.93 kg/h |
| | (NG) 20 mbar<br>(LPG) 37 mbar |
| | 13.0 kg / 31.0 kg |

**Galio Corten**
Outdoor Gas Fireplace

**Galio Black**
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

## GAS FIREPLACES *(With automatic control system)*

### GALIO STAR BURNER AUTOMATIC

**FEATURES**

- Automatic control system
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- For custom-built housing
- Easy to install

### GALIO STAR CORTEN/BLACK AUTOMATIC

**FEATURES**

- Galio star insert automatic technical features
- 2 finishing options: Corten or black steel

### OPTIONAL ACCESSORIES

| | GALIO STAR BURNER AUTOMATIC | GALIO STAR CORTEN AUTOMATIC<br>GALIO STAR BLACK AUTOMATIC |
|---|---|---|
| | (NG) max. 16.4 kW<br>(LPG) max. 17.3 kW | |
| GAS | (NG) max. 1.5 $m^3/h$<br>(LPG) max. 1.4 kg/h | |
| | (NG) 20 mbar<br>(LPG) 37 mbar | |
| | 17.0 kg | 37.0 kg |

**Galio Star Corten Automatic**
Outdoor Gas Fireplace



**Galio Star Black Automatic**
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

## GAS FIREPLACES *(With automatic control system)*

### STELLA BURNER AUTOMATIC

**FEATURES**

- Fuel variants to choose before purchase:
  Gas Cylinder (propane or propane-butane)
  or Natural Gas
- Automatic control:
  - remote control included
  - wall switch panel
  - SHS compatible
- Thermocouple
- Smooth flame height regulation
- For custom-built housing

### STELLA TABLE KRETA/LAURENT/NACRE AUTOMATIC

**FEATURES**

- Stella insert automatic technical features
- 3 finish options with DEKTON® by Cosentino: Kreta/Laurent/Nacre

### OPTIONAL ACCESSORIES

| | STELLA INSERT AUTOMATIC | | | STELLA TABLE AUTOMATIC |
|---|---|---|---|---|
| | 500 mm | 600 mm | 800 mm | 941 mm |
| | (NG) max. 5.6 kW<br>(LPG) max. 5.1 kW | (NG) max. 7.9 kW<br>(LPG) max. 12.6 kW | (NG) max. 16.4 kW<br>(LPG) max. 17.3 kW | (NG) max. 7.9 kW<br>(LPG) max. 12.6 kW |
| GAS | (NG) max. 0.5 $m^3/h$<br>(LPG) max. 0.4 kg/h | (NG) max. 0.71 $m^3/h$<br>(LPG) max. 0.98 kg/h | (NG) max. 1.47 $m^3/h$<br>(LPG) max. 1.35 kg/h | (NG) max. 0.71 $m^3/h$<br>(LPG) max. 0.98 kg/h |
| | (NG) 20 mbar<br>(LPG) 37 mbar | | | |

**Stella Burner**
Outdoor Gas Fireplace

**Stella Table Nacre**
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

## GAS FIREPLACES *(With automatic control system)*

### GALIO H INSERT AUTOMATIC

**FEATURES**

- Automatic control system
- Fuel variants to choose before purchase:
  Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install
- For custom-built housing

### MICO AUTOMATIC




**FEATURES**

- Fuel variants to choose before purchase:
  Gas Cylinder (propane or propane-butane)
  or Natural Gas
- Automatic control:
  - remote control included
  - wall switch panel
  - SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

**OPTIONAL ACCESSORIES**

| | GALIO H INSERT AUTOMATIC | MICO AUTOMATIC | | |
|---|---|---|---|---|
| | 600 mm | 500 mm | 600 mm | 800 mm |
| | (NG) max. 9.4 kW<br>(LPG) max. 11.8 kW | (NG) max. 5.6 kW<br>(LPG) max. 5.1 kW | (NG) max. 7.9 kW<br>(LPG) max. 12.6 kW | (NG) max. 16.4 kW<br>(LPG) max. 17.3 kW |
| | (NG) max. 1.0 $m^3/h$<br>(LPG) max. 0.9 kg/h | (NG) max. 0.5 $m^3/h$<br>(LPG) max. 0.4 kg/h | (NG) max. 0.71 $m^3/h$<br>(LPG) max. 0.98 kg/h | (NG) max. 1.47 $m^3/h$<br>(LPG) max. 1.35 kg/h |
| | (NG) 20 mbar<br>(LPG) 37 mbar | (NG) 20 mbar<br>(LPG) 37 mbar | | |

**Galio H Insert Automatic**
Outdoor Gas Burner

**Mico Insert**
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

## GAS FIREPLACES *(With manual control system)*

### LIGHTHOUSE

**FEATURES**

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding

**OPTIONAL ACCESSORIES**

| | LIGHTHOUSE |
|---|---|
| | (LPG) max. 7.0 - 10.0 kW |
| GAS | (LPG) max. 0.50 - 0.65 kg/h |
| | (LPG) 37 mbar |
| | 27.5 kg |

**Lighthouse**
Gas Patio Heater

# COMMERCE
## FIREPLACES
### OUTDOOR COLLECTION

**Totem/Simple Commerce**
The Address Downtown

# OUTDOOR / INDOOR ETHANOL FIRES

**COMMERCE TECHNOLOGY™** *(Absorbent Ceramic Fibers)*

TOTEM JAR RONDO SIMPLE

## FEATURES

- Easy refilling system
- Safe burning technology
- No electricity required

## OPTIONAL ACCESSORIES

| | TOTEM | JAR | RONDO | SIMPLE |
|---|---|---|---|---|
| | **[ØxH] 395 x 1070 mm** | **[ØxH] 410 x 795 mm** | **[ØxH] 412 x 412 mm** | **[ØxH] 308 x 418 mm** |
| | 24.5 kg | 41.5 kg | 7.0kg | 6.5 kg |
| | max. 2.5 kW | max. 2.5 kW | max. 2.5 kW | max. 2.5 kW |
| | 3.0 L | 3.0 L | 3.0 L | 1.5 L |
| | max. 7 h | max. 7 h | max. 7 h | max. 3.5 h |
| | min. 25 m³ | min. 25 m³ | min. 25 m³ | min. 25 m³ |

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.

**© Copyright 2026, Planika Sp. z o.o. All rights reserved.** **www.planika.com**

planika

PLANIKA
planika@planika.com
www.planika.com

facebook.com/planikafire
instagram.com/planikafires
youtube.com/planikafires

pinterest.com/planika
linkedin.com/in/planika

© Planika Sp. z o.o. | v. 20032026